



Existing neighbouring house

existing rwp
existing 100 upvc s.w. drain

All electrical and sanitary fittings/ accessories removed. All internal partitions, wall linings, steps, flooring (except in area of proposed Bedroom) removed.

Take down existing porch and part wall

Take down part wall

1100 x 800 clear maneuvering space within lobby

min. 300 clear space from leading edge of door to wall
external light with sensor to provide automatic illumination

refer to drawing 824 bw01 for details on existing fw drainage

- lighting point
- wall light
- external light
- switch
- 2-way switch
- power points
- Heatpoc electric towel rail
- CO2 monitor/detector

- Dimplex Quantum electric storage heater
- Isolator switch of appropriate size/ type compatible with each kitchen appliance
- Telephone point
- cooker control
- electrical distribution board
- smoke detector to be mains wired, to comply with BS 5446. 300 min. distance between smoke detectors & lighting points
- extract from kitchen above a hob (extract capability of 30lts./sec.)
Extract from shower room (extract capability of 15lts./sec.)

Rev C: Trickle vent added to Bedroom and Shower Room 11.07.17
 Rev B: Shower Room door open outwards, trickle vent added to Living Area 27.02.17
 Rev A: SD added to Living Area, CO2 monitor added to Bedroom, extract fan added to Shower Room, trickle vent added, 2no. doors removed, step rise dims. noted, laminated glass noted, insulation noted on existing internal stone wall 16.01.17

Job title PROPOSED ALTERATIONS TO THE CHAPEL, ORGILL, VIDLIN	Drawing title FLOOR PLAN	Scale 1:50 Date Jan 2016 Drawn IBI
		824 bw03c

4 North Ness Business Park, Lerwick, Shetland, ZE1 0LZ
Tel: 01595 694880
email: admin@p-j-p.co.uk

PJP Architects LLP
www.pjparchitects.co.uk